


ACCESSORIES ACCESSORIES



VINTAGE LED BULB

DECORATIVE BULB



5021
DECORATIVE BULB
↑ 12 cm
Ø 3,5 cm
E14, 40W



9793
VINTAGE LED BULB
↑ 12,1 cm
Ø 3,5 cm
E14



9796
VINTAGE LED BULB
↑ 13,8 cm
Ø 6,4 cm
E27

NEW!



9795
VINTAGE LED BULB
↑ 18,5 cm
Ø 3,0 cm
E27



9794
VINTAGE LED BULB
↑ 10,6 cm
Ø 6,0 cm
E27



9797
VINTAGE BULB LED
↑ 13,8 cm
Ø 9,5 cm
E27

Item No.	Name	Power	Colour temperature (Kelvin)	Luminous flux	Beam Angle	Colour Rendering Index (CRI ≥)	Input	Lifetime	Switch cycles ON/OFF	Replacement
9793	VINTAGE LED BULB	4W	2200K	360 lm	360°	80	~230V, 50Hz	15 000 h	x 15 000	4W LED = 35W
9796	VINTAGE LED BULB	4W	2200K	360 lm	360°	80	~230V, 50Hz	15 000 h	x 15 000	4W LED = 30W
9795	VINTAGE LED BULB	4W	2200K	360 lm	360°	80	~230V, 50Hz	15 000 h	x 15 000	4W LED = 33W
9794	VINTAGE LED BULB	4W	2200K	360 lm	360°	80	~230V, 50Hz	15 000 h	x 15 000	4W LED = 35W
9797	VINTAGE LED BULB	4W	2200K	360 lm	360°	80	~230V, 50Hz	15 000 h	x 15 000	4W LED = 30W

REFLECTOR




7031
REFLECTOR HALOGEN
GU10, ES111
75W




9831
REFLECTOR LED COB
GU10, ES111
15W LED

LED MODULE



6574
LED MODULE
Ø 25cm
18W
1800lm, 4000K



6573
LED MODULE
Ø 19cm
12W
1200lm, 4000K



6572
LED MODULE
Ø 13cm
9W
900lm, 4000K

ELECTRONIC BALLAST



6633
ELECTRONIC BALLAST
T5, 24W



6634
ELECTRONIC BALLAST
T5, 39W



6635
ELECTRONIC BALLAST
T5, 54W

LED MODULE DRIVER



6575
LED MODULE DRIVER
8 - 12W



6576
LED MODULE DRIVER
12 - 18W



6577
LED MODULE DRIVER
18 - 24W



6578
LED MODULE DRIVER
24 - 32W

FLUORESCENT TUBE

6150
FLUORESCENT TUBE
↔ 549 mm
Ø 16 mm
T5, 24W, 4000K



6151
FLUORESCENT TUBE
↔ 849 mm
Ø 16 mm
T5, 39W, 4000K



6152
FLUORESCENT TUBE
↔ 1149 mm
Ø 16 mm
T5, 54W, 4000K



LED TUBE T8

9646
LED TUBE T8
↔ 60 cm
Ø 28 mm
G13



9645
LED TUBE T8
↔ 90 cm
Ø 28 mm
G13



9644
LED TUBE T8
↔ 120 cm
Ø 28 mm
G13



Item No.	Name	Size	Power	Colour temp. (Kelvin)	Luminous flux	Beam Angle	Colour Rendering Index (CRI ≥)	Input	Power factor	LED Driver	Lifetime	Material
9646	LED TUBE T8	60 cm	10W	3000K	800-900 lm	200°	80	230V, 50Hz	>0,5	incl.	30 000 h	PC
9645	LED TUBE T8	90 cm	14W	3000K	1200-1300 lm	200°	80	230V, 50Hz	>0,5	incl.	30 000 h	PC
9644	LED TUBE T8	120 cm	18W	3000K	1600-1700 lm	200°	80	230V, 50Hz	>0,5	incl.	30 000 h	PC
9831	REFLECTOR LED COB	Ø111 mm	15W	3500K	1100 lm	48°	80	230V, 50Hz	>0,5	incl.	30 000 h	PC